







ENV-HCB5F-50R-86

The expanding nature of the security system demands smart and intelligent solutions. Bullet cameras of the surveillance universe are instrumental devices to meet the needs of evolving ideas of security. Our 2 MP low light IR IP H.265 Compact Bullet Cameras are built-in with a 4 mm fixed lens. They are supported by Wi-Fi, Inbuilt Mic, SD card slot and smart IR up to 50M.

Smart features:

- * Metal and plastic Housing
- * Up to 1920x1080@30fps
- * H.265+/H.265/H.264
- * Min. illumination Color: 0.02Lux@F2.0
- * Smart IR, IR Range: 50m
- * SD card slot Upto 512GB



ENV-HVD5F-30R-86

Our all-new, wireless, 2MP IR IP H.265 Vandal Proof security camera renders powerful ways to defend crime. It comes with multiple streaming technologies, day and night vision and intelligent algorithms to fit the requirement. The ENV-HVD5F-30R-86 range of cameras has day and night functionality with Wi-Fi support. It is dust and waterproof with an IP67 rating. The cameras are even immune to physical damage under IK10 rating.

Smart features:

- * Metal and Plastic Housing
- * Up to 1920x1080@30fps
- * H.265+/H.265/H.264
- * Min. illumination Color: 0.02Lux@F2.0
- * Equipped with Smart IR, IR Range: 30m
- * Functions under the environment of -40°C to 60°C, 0 to 95% RH
- * Built-in Mic, SD Card Slot and Reset Button





Wi-Fi NETWORK VIDEO RECORDER

ENR-01004-N-NW

Our Wi-Fi Network Video Recorder range provides a resilient solution with the latest video formats for today's needs. It comes with four-channel input and Wi-Fi support that is in congruence with Eyenor's Wi-Fi IP cameras. The recorder supports live view, storage and playback of the connected camera for up to 6 MP resolution. The advanced solution even backs cloud upgrades for the system.

Smart features:

- * H.265+/H.265/H.264 video formats
- * Supports Wi-Fi matching of Eyenor Wi-Fi IP cameras
- * HDMI and VGA simultaneous output
- * Supports HDMI Video output up to 2560×1440 resolution
- * Maintains 1 SATA interface up to 10TB for 1 HDD
- * Its H.265+ compression effectively reduces the storage space and costs up to 75%
- * 1×RJ45 self-adaptive and 10/100 Mbps network interface
- * Dedicated centralized management of IP cameras, including configuration, import/export, real-time information display, upgrade, etc.







UK, EUROPE & USA

Norden Communication UK Ltd Unit 13 Baker Close, Oakwood Business park, Clacton-On- Sea , Essex CO15 4BD, United Kingdom Tel +44 (0) 1255 474063 E-mail: support@norden.co.uk

ASIA

Norden Singapore PTE LTD 7 Temasek Boulevard, #12-07 Suntec Tower One, Singapore 038987

Tel: +65 6589 8449 Fax: +65 6917 8977

E-mail: sales@norden.com.sq

Norden Communication Pvt Ltd Level 1, Tower D, RMZ Infinity, Old Madras Road, Bangalore - 560016, India

Toll free: 18001023295 Tel: +91 80 67431217 E-mail: sales@norden.in

Norden Communication 202A, 2nd Floor, SCK-01, Smart City Infrastructure Special Economic Zone, Kakkanad, Kochi-682030 Kerala, India

Tel:+91 484 2984127

E-mail: support@nordencommunication.com

MIDDLE EAST & AFRICA

Norden Communication Middle East FZE P.O. Box. 341072, Dubai Silicon Oasis,

Dubai, UAE

Tel: +971 4 3926391 Fax: +971 4 3926395 E-mail: sales@nordenco.ae