

# FLOOR STANDING CABINET




The Easycab range of floor standing cabinets designed for communication rooms and data centers. The smart design and professional engineering provides easy installation and maintenance. Comply with ANSI/EIA RS-310-D, IEC 297-2, DIN 41491, PART 1, DIN 41497, PART 7, GB/T3047.2- 92, ETSI standards.

## FEATURES

- Intelligent design ensures easy installation
- Cable entry through bottom and top panel
- Removable side panel provides easy maintenance
- Toughened glass door
- 19" installation
- Adjustable feet and heavy duty castors
- Plinth (optional)

Cabinet Material	SPCC cold rolled steel
Deg. of Protection	IP20
Surface finish	Degreasing, phosphoric, powder coated
Max. Loading capacity	800 KGS
Mounting-rails thickness	2.0mm
Door thickness	1.2mm
End plates and side panels thickness	1.2mm
Max. Capacity on each caster	200KG
Door Perforation in percentage	71%
Max. rotation degree Hinges	225°
Angle at which door opens when placed alone	225°
Angle at which door opens (connected together)	180°
Earthing	Yes




## STRUCTURE

- |                                |                                  |                |
|--------------------------------|----------------------------------|----------------|
| 1. Top cover                   | 6. High-density vented rear door | 10. Frame      |
| 2. Fan unit                    | 7. Steel door without hole       | 11. Side panel |
| 3. Mounting profile            | 8. Bottom panel                  | 12. Front door |
| 4. Mounting angle              | 9. 2" heavy duty castor          | 13. Front door |
| 5. Rear door with square holes |                                  | 14. Front door |

## FLOOR STANDING CABINET



Front Glass




Front Perforated



Front Metal




Front Metal Divided



Front Perf.  
Divided




Back Metal



Back Perforated



Back Metal Divided



Back Perforated Divided

## ACCESSORIES

Accessories	Material Of Construction	Surface Coating & Colour	Quantity
Top cover	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
Spring Lock with 2 keys	-	Black	1 piece
Mounting Angle, 4 Pcs for lower 32U	1.5 mm SPCC cold rolled steel	Powder coating	6 piece
Front door, round vented border	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
2" heavy duty castors	-	-	4 piece
Mounting Profile	2.0 mm SPCC cold rolled steel	Powder coating	4 piece
Small round Lock with 2 keys		Nickel coating	1 piece
Frame	1.2 mm SPCC cold rolled steel	Powder coating	2 piece
M6 Square nut, 40 sets for upper 32U	steel	Zinc Colour	20 piece
M6 B head screw, 40 sets for upper 32U	steel	Zinc Colour	20 piece
Side Panel	1.2 mm SPCC cold rolled steel	Powder coating	2 piece
Square hole rear door, square vent	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
Bottom panel	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
Allen wrench	steel	Black Colour	1 piece
M12 adjustable feet	-	-	4 piece
Fixed Shelf	1.2 mm SPCC cold rolled steel	Powder Coating	1 piece
Fan – 90 CFM	-	-	4 piece

\*\* By default, Two Vertical Cable Managers are provided for cabinets with 800 mm depth and above. \*\*

# FLOOR STANDING CABINET

## ORDERING GUIDE

Cabinet & Types		Cabinet Height	Cabinet Width	Cabinet Depth	Front & Rear Door Types		Colour (X)
Cabinet	Type				Front Door	Rear Door	
132	3 : Smart 19"	"UU"	K : 550mm 6 : 600mm 7 : 700mm 8 : 800mm 1 : 1000mm B : 1200mm	3 : 300 mm 5 : 550mm 6 : 600mm 7 : 700mm R : 750mm 8 : 800mm 9 : 900mm A : 960 mm 1 : 1000mm Z : 1070mm H : 1100mm B : 1200mm W : 1300 mm	1 : Glass 2 : Metal 3 : Perfor 4 : Divide Perfor 5 : Divide Metal 6 : Divide Glass C : Horizontal Divide Perforated	1 : Glass 2 : Metal 3 : Perfor 4 : Divide Perfor 5 : Divide Metal C : Horizontal Divide Perforated	

X : R1[RAL 9004], R2[RAL 7035], R3[RAL 9010]

**\*\* Front Divide Glass Door available for cabinet with minimum width of 800 mm and a minimum height of 27 U. \*\***

## ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension(mm)
<b>550x600 Size</b>			
1323-20K613X	20U 550 X 600 Front Glass /Back Perforated Door	20	550 x 600 x 1076
1323-25K613X	25U 550 X600 Front Glass /Back Perforated Door	25	550 x 600 x 1299
<b>600X300 Size</b>			
1323-486333X	48U 600X 300 Floor standing Cabinet front Perforated /Back Perforated door	48	600 X 600 X 2350
<b>600 x 600 Size</b>			
1323-096613BK	09U 600 x 600 Floor Standing Cabinet F/Glass B/Perforated	09	600 x 600 x 501
1323-126613BK	12U 600 x 600 Floor Standing Cabinet F/Glass B/Perforated	12	600 x 600 x 635
1323-156613BK	15U 600 x 600 Floor Standing Cabinet F/Glass B/Perforated	15	600 x 600 x 769
1323-186613X	18U 600 x 600 Front Glass/Back Perf Door	18	600 x 600 x 988
1323-226613X	22U 600 x 600 Front Glass/Back Perf Door	22	600 x 600 x 1166
1323-226633X	22U 600 x 600 Floor Standing Cabinet F/Pref B/Perforated	22	600 x 600 x 1166
1323-276613X	27U 600 x 600 Front Glass/Back Perf Door	27	600 x 600 x 1388
1323-326613X	32U 600 x 600 Front Glass/Back Perf Door	32	600 x 600 x 1610
1323-376613X	37U 600 x 600 Front Glass/Back Perf Door	37	600 x 600 x 1833
1323-426613X	42U 600 x 600 Front Glass/Back Perf Door	42	600 x 600 x 2055
1323-476613X	47U 600 x 600 Front Glass/Back Perf Door	47	600 x 600 x 2277
1323-486633X	48U 600X 600 Floor standing Cabinet front Perforated /Back Perforated door	48	600 X 600 X 2350
<b>600 x 800 Size</b>			
1323-186813X	18U 600 x 800 Front Glass/Back Perf Door	18	600 x 800 x 988
1323-226813X	22U 600 x 800 Front Glass/Back Perf Door	22	600 x 800 x 1166
1323-276813X	27U 600 x 800 Front Glass/Back Perf Door	27	600 x 800 x 1388
1323-326813X	32U 600 x 800 Front Glass/Back Perf Door	32	600 x 800 x 1610
1323-376813X	37U 600 x 800 Front Glass/Back Perf Door	37	600 x 800 x 1833
1323-426813X	42U 600 x 800 Front Glass/Back Perf Door	42	600 x 800 x 2055
1323-476813X	47U 600 x 800 Front Glass/Back Perf Door	47	600 x 800 x 2277
1323-426833X	42U 600 x 800 Floor Standing Cabinet F/perforated B/Perforated	42	600 x 800 x 2055

# FLOOR STANDING CABINET

## ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension(mm)
<b>600 x 1000 Size</b>			
1323-186113X	18U 600 x 1000 Front Glass/Back Perf Door	18	600 x 1000 x 988
1323-226113X	22U 600 x 1000 Front Glass/Back Perf Door	22	600 x 1000 x 1166
1323-276113X	27U 600 x 1000 Front Glass/Back Perf Door	27	600 x 1000 x 1388
1323-326113X	32U 600 x 1000 Front Glass/Back Perf Door	32	600 x 1000 x 1610
1323-376113X	37U 600 x 1000 Front Glass/Back Perf Door	37	600 x 1000 x 1833
1323-426113X	42U 600 x 1000 Front Glass/Back Perf Door	42	600 x 1000 x 2055
1323-476113X	47U 600 x 1000 Front Glass/Back Perf Door	47	600 x 1000 x 2277
1323-426144X	42U 600 x 1000 Floor Standing Cabinet F/Double Perf. B/Double Perf.	42	600 X 1000 X 2055
<b>600 x 1200 Size</b>			
1323-476B34X	47U 600x1200 Front Perforated & Back Double Perforated	47	600 x 1200 x 2277
<b>800 x 800 Size</b>			
1323-128813X	12U 800 x 800 Front Glass/Back Perf Door	12	800 x 800 x 600
1323-158834X	15U 800x800 floor standing Cabinet Front Pref/Back Divided Perforated	15	800 x 800 x 850
1323-188813X	18U 800 x 800 Front Glass/Back Perf Door	18	800 x 800 x 988
1323-228813X	22U 800 x 800 Front Glass/Back Perf Door	22	800 x 800 x 1166
1323-278813X	27U 800 x 800 Front Glass/Back Perf Door	27	800 x 800 x 1388
1323-278834X	27U 800x800 floor standing Cabinet Front Pref/Back Divided Perforated	27	800 x 800 x 1388
1323-328813X	32U 800 x 800 Front Glass/Back Perf Door	32	800 x 800 x 1610
1323-378813X	37U 800 x 800 Front Glass/Back Perf Door	37	800 x 800 x 1833
1323-328834X	32U 800x800 floor standing Cabinet Front Pref/Back Divided Perforated	32	800 x 800 x 1610
1323-428813X	42U 800 x 800 Front Glass/Back Perf Door	42	800 x 800 x 2055
1323-428833X	42U 800 x 800 Floor Standing Cabinet F/Pref B/Perforated	42	800 x 800 x 2055
1323-4288CCX	42U 800 x 800 Floor Standing F/Horizontal divided Pref B/Horizontal Divided Perforated	42	800 x 800 x 2055
<b>800 x 960 Size</b>			
1323-228A33BX	22U 800 x 960 Floor Standing Cabinet F/Perforated B/Perforated	22	800 x 960 x 1166
1323-228A13X	22U 800 x 960 Front Glass/Back perf Door	22	800 x 960 x 1166
<b>800 x 1000 Size</b>			
1323-128113X	12U 800 x 1000 Front Glass/Back Perf Door	12	800 x 1000 x 635
1323-158113X	15U 800 x 1000 Front Glass/Back Perf Door	15	800 x 1000 x 769
1323-188113X	18U 800 x 1000 Front Glass/Back Perf Door	18	800 x 1000 x 988
1323-228113X	22U 800 x 1000 Front Glass/Back Perf Door	22	800 x 1000 x 1166
1323-278113X	27U 800 x 1000 Front Glass/Back Perf Door	27	800 x 1000 x 1388
1323-328113X	32U 800 x 1000 Front Glass/Back Perf Door	32	800 x 1000 x 1610
1323-378113X	37U 800 x 1000 Front Glass/Back Perf Door	37	800 x 1000 x 1833
1323-428113X	42U 800 x 1000 Front Glass/Back Perf Door	42	800 x 1000 x 2055
1323-428834X	42U 800x1000 floor standin gCabinet Front Pref/Back Divided Perforated	42	800 x 800 x 2055
1323-458133X	45U 800X1000 Floor standing cabinet Front /Perforated Back/Perforated	45	800 x 1000 x 2155
1323-478113X	47U 800 x 1000 Front Glass/Back Perf Door	47	800 x 1000 x 2277
1323-228114X	22U 800 x 1000 Front Glass/Back Divided Perforated	22	800 x 1000 x 1166
1323-278134X	27U 800 x 1000 Front Perf/Back Divided Perforated	27	800 x 1000 x 1388
1323-428133X	42U 800 x 1000 Front Perf/ Perf Door	42	800 x 1000 x 2055
1323-428134X	42U 800 x 1000 Front Perf/Back Divided Perforated	42	800 x 1000 x 2055
1323-428144X	42U 800 x 1000 Front Divided Perf/Back Divided Perforated	42	800 x 1000 x 2055
1323-4281CCX	42U 800 x 1000 Floor Standing Cabinet Front Horizontal Divided Perforated/Back Horizontal Divided Perforated	42	800 X 1000 X 2055

# FLOOR STANDING CABINET

## ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension(mm)
<b>800 x 1200 Size</b>			
1323-188B13X	18U 800 x 1200 Front Glass/Back Perf Door	18	800 x 1200 x 988
1323-228B13X	22U 800 x 1200 Front Glass/Back Perf Door	22	800 x 1200 x 1166
1323-278B13X	27U 800 x 1200 Front Glass/Back Perf Door	27	800 x 1200 x 1388
1323-328B13X	32U 800 x 1200 Front Glass/Back Perf Door	32	800 x 1200 x 1610
1323-378B13X	37U 800 x 1200 Front Glass/Back Perf Door	37	800 x 1200 x 1833
1323-428B13X	42U 800 x 1200 Front Glass/Back Perf Door	42	800 x 1200 x 2055
1323-478B13X	47U 800 x 1200 Front Glass/Back Perf Door	47	800 x 1200 x 2277
1323-428B34X	42U 800 x 1200 Front Perf/Back Divided Perforated	42	800 x 1200 x 2055
<b>800 x 1300 Size</b>			
1323- 428W44X	42U 800 x 1300 Floor Standing Cabinet F/Double Perf B/ Double Perf door	42	800 x 1300 x 2055
<b>1000 x 1000 Size</b>			
1323-421144X	42U 1000x1000 floor standing Cabinet Front Perf.Divided/ Back Perf.Divided	42	1000 x 1000 x 2055
1323-421113X	42U 1000 x 1000 floor standing Cabinet Front Glass/Back Perf.Door	42	1000 x 1000 x 2055
<b>1000 x 1200 Size</b>			
1323-571B44X	57U 1000(W)x1200 (D) Front Divided Pref/Back Divided Perforated floor standing Cabinet	57	1000 x 1200 x 3000