


4CH EMBEDDED NETWORK VIDEO RECORDER



ENR-01004-N

FEATURES

- 4 Channel Input
- Support H.265+, H.265, H.264 Video Formats
- 1 SATA HDD
- HDMI and VGA Simultaneous Output
- ONVIF Profile (S, T)



SPECIFICATION

| | | |
|---------------|----------------------|---|
| MODEL | Model No. | ENR-01004-N |
| | Type | 4CH EMBEDDED NETWORK VIDEO RECORDER |
| VIDEO & AUDIO | Video Input | 4-Ch (Upgradable to 5 Channels) |
| | Incoming Bandwidth | 50 Mbps |
| | Outgoing Bandwidth | 40 Mbps |
| | HDMI / VGA Output | HDMI 1: 3840x2160, 2560x1400, 1920x1080, 1440x900, 1366x768, 1280x800, 1280x720, 1024x768, 800x600 VGA 1: 1920x1080, 1440x900, 1366x768, 1280x800, 1280x720, 1024x768, 800x600 |
| | Audio Output | 1-Ch RCA |
| | Two-way Audio | N/A |
| | Screen Split | 1/3/4/5/6/7/8/9 |
| | Video Encryption | N/A |
| DECODING | OSD Type | Title, Week, Date, Time, Text with different colors and adaptable sizes |
| | Video Compression | H.265+, H.265, H.264 |
| | Video Bit Rate | 32 kbps ~ 16 Mbps (per channel), CBR, VBR |
| | Audio Compression | G.711A/G.711U |
| | Audio Bit Rate | 8 kbps ~ 48 kbps |
| | Recording Resolution | 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF |
| | Recording Mode | Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, ANR, Record Interval by Time / Size |
| | Pre/Post Record Time | Pre (5~60 sec); Post (10~600 sec) |
| | Fisheye Camera | N/A |
| De-warping | N/A | |

None

★Product specification and availability are subject to change without notice.

4CH EMBEDDED NETWORK VIDEO RECORDER



ENR-01004-N

| | | |
|-------------------|---------------------------------|--|
| MODEL | Model No. | ENR-01004-N |
| | Type | 4CH EMBEDDED NETWORK VIDEO RECORDER |
| MONITORING | Preview Capability | 1x6MP/1x5MP/1x4MP/1x3MP/4x1080P/8x720P/5x4CIF |
| | Synchronous Playback | 1x6MP/1x5MP/1x4MP/1x3MP/3x1080P/4x720P |
| | Live View Functions | Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom |
| | Playback Functions | Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Clip management, Screen matrix, Stream type |
| | Corridor Mode | Supported |
| | Backup Mode | USB, Network, SATA burner |
| | Export Picture Format | JPG |
| | Export Video Format | MP4 |
| | Download from Edge storage | MP4 |
| INTERFACE | Protocols | TCP/IP, UDP, IPV4, IPV6, ICMP, HTTP, HTTPS, DHCP, DNS, DDNS, RTP, RTSP, RTCP, RTMP, FTP, NFS, PPPoE, NTP, UPnP, QoS, SMTP, IGMP, Multicast, ARP, SNMP, SSL, Telnet |
| | Compatibility | ONVIF Profile (S, T) |
| | Network | 1xRJ45 (10/100 Mbps) Self Adaptive Ethernet Port |
| | Serial Interface | N/A |
| | USB Interface | 2xUSB 2.0 |
| | Alarm Interface | N/A |
| SMART | Alarm Management | Illegal access, IP Conflict, MAC Conflict, Network Interrupt, Hard disk full, No hard disk, Hard disk R/W error, Hard disk overload, HDD SMART check error, Abnormal recording, Abnormal temperature, Motion detection, Tampering (Masking), Smart detection, Video loss |
| | Behavior Detection | Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire) |
| | Analytics | Loitering, Running, Abandoned object (Object Left), Missing object (Object Lost), Parking, People Counting, Crowd Detection, On Duty Detection, Abnormal Video & Audio Detection **Compatible with analytic supported cameras |
| STORAGE | SATA | 1 SATA Interface |
| | Capacity | Up to 10 TB for each HDD |
| | Array Type | N/A |
| | e-SATA | N/A |
| | ANR | N/A |
| GENERAL | Main Processor | Dual Core Embedded Processor |
| | Operating System | Embedded Linux |
| | User Permission | 32 with multiple privilege level |
| | Web Client | EyeConnect |
| | Web Language | 14 |
| | Power | 12V DC, 3.33A |
| | Redundant Power | N/A |
| | Power Consumption (without HDD) | ≤10 W |
| | Working Environment | -10 °C ~ 55 °C |
| | Humidity | 10% ~ 90% RH |
| | Chassis | 1U |
| | Dimension | 44x255x231 mm |
| Net Weight | 0.8 kg | |

None

★Product specification and availability are subject to change without notice.


4CH EMBEDDED NETWORK VIDEO RECORDER



ENR-01004-N

| | | |
|-------|-----------|-------------------------------------|
| MODEL | Model No. | ENR-01004-N |
| | Type | 4CH EMBEDDED NETWORK VIDEO RECORDER |

Dimension Unit : mm



ORDERING INFORMATION

| Part Number | Description | Standard Quantity |
|-------------|--|-------------------|
| ENR-01004-N | 4Ch Embedded Network Video Recorder with 1 HDD Bay, Supports HDMI, VGA and ONVIF | 1 |

PACKING INFORMATION

| Part Number | Packing Mode | Gross weight(Kg) | Dimension(mm) |
|-------------|--------------|------------------|---------------|
| ENR-01004-N | Carton Box | 1.45 | 44x255x231 |

None

★Product specification and availability are subject to change without notice.