


# 8CH EMBEDDED NETWORK VIDEO RECORDER



**ENR-02008-N-LK**

## FEATURES

- 8 Channel Input
- Support H.265+, H.265, H.264 Video Formats
- 2 SATA HDDs
- HDMI and VGA Simultaneous Output
- ONVIF Profile (S, G, T)



## SPECIFICATION

MODEL	Model No.	ENR-02008-N-LK
VIDEO & AUDIO	Type	8CH EMBEDDED NETWORK VIDEO RECORDER
	Video Input	8-Ch (Upgradable to 10 Channels)
	Incoming Bandwidth	160 Mbps
	Outgoing Bandwidth	64 Mbps
	HDMI / VGA Output	HDMI 1: 3840x2160, 2560x1440, 1920x1080, 1440x900, 1280x800, 1280x720, 1024x768 VGA 1: 1920x1080, 1440x900, 1280x800, 1280x720, 1024x768
	Audio Input / Output	1-Ch Input (3.5 mm) / 1-Ch Output (RCA)
	Two-way Audio	Supported
	Screen Split	1/2/3/4/5/6/7/8/9/10
	Video Encryption	Supported
OSD Type	Title, Week, Date, Time, Text with different colors and adaptable sizes	
DECODING	Video Compression	H.265+, H.265, H.264
	Video Bit Rate	32 kbps ~ 16 Mbps (per channel), CBR, VBR
	Audio Compression	G.711A/G.711U
	Audio Bit Rate	8 kbps ~ 48 kbps
	Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080P/UJXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
	Recording Mode	Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, ANR, Record Interval by Time / Size
	Pre/Post Record Time	Pre (5~60 sec); Post (10~600 sec)
	Fisheye Camera	N/A
De-warping	N/A	

# 8CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02008-N-LK

<b>MODEL</b>	<b>Model No.</b>	<b>ENR-02008-N-LK</b>
	<b>Type</b>	8CH EMBEDDED NETWORK VIDEO RECORDER
<b>MONITORING</b>	<b>Preview Capability</b>	2x8MP/2x6MP/3x5MP/4x4MP/5x3MP/8x1080P/16x720P
	<b>Synchronous Playback</b>	2x8MP/2x6MP/3x5MP/4x4MP/5x3MP/8x1080P/8x720P
	<b>Live View Functions</b>	Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom
	<b>Playback Functions</b>	Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Clip management, Screen matrix, Stream type
	<b>Corridor Mode</b>	Supported
	<b>Backup Mode</b>	USB, Network, SATA burner
	<b>Export Picture Format</b>	JPG
	<b>Export Video Format</b>	MP4, SDV, AVI
	<b>Download from Edge storage</b>	MP4, SDV, AVI
<b>INTERFACE</b>	<b>Protocols</b>	TCP/IP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, DHCP, DNS, DDNS, RTP, RTSP, RTCP, RTMP, FTP, NFS, PPPoE, NTP, UPnP, QoS, SMTP, IGMP, Multicast, ARP, SNMP, SSL, Telnet
	<b>Compatibility</b>	ONVIF Profile (S, G, T)
	<b>Network</b>	1xRJ45 (10/100/1000 Mbps) Self Adaptive Ethernet Port
	<b>Serial Interface</b>	N/A
	<b>USB Interface</b>	2xUSB 2.0
	<b>Alarm Interface</b>	4 Input & 1 Output
<b>SMART</b>	<b>Alarm Management</b>	Input & Output event, Alarm I/O error, Illegal access, IP Conflict, MAC Conflict, Network Interrupt, Hard disk full, No hard disk, Hard disk R/W error, Hard disk overload, HDD SMART check error, Abnormal recording, Abnormal temperature, Motion detection, Tampering (Masking), Smart detection, Video loss
	<b>Behavior Detection</b>	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	<b>Analytics</b>	Loitering, Running, Abandoned object (Object Left), Missing object (Object Lost), Parking, Face Detection (Capture), People Counting, Crowd Detection, On Duty Detection, Abnormal Video & Audio Detection, Auto Tracking, Heatmap **Compatible with analytic supported cameras
<b>STORAGE</b>	<b>SATA</b>	2 SATA Interfaces
	<b>Capacity</b>	Up to 10 TB for each HDD
	<b>Array Type</b>	N/A
	<b>e-SATA</b>	N/A
	<b>ANR</b>	Supported
<b>GENERAL</b>	<b>Main Processor</b>	Dual Core Embedded Processor
	<b>Operating System</b>	Embedded Linux
	<b>User Permission</b>	32 with multiple privilege level
	<b>Client Application</b>	EyeConnect
	<b>Web Language</b>	14
	<b>Power</b>	12V DC, 3.33A
	<b>Redundant Power</b>	N/A
	<b>Power Consumption (without HDD)</b>	≤10 W
	<b>Working Environment</b>	-10 °C ~ 55 °C
	<b>Humidity</b>	10% ~ 90% RH
	<b>Chassis</b>	1U
	<b>Dimension</b>	47.1x272.6x341 mm
<b>Net Weight</b>	2.9 kg	

# 8CH EMBEDDED NETWORK VIDEO RECORDER



ENR-02008-N-LK

MODEL	Model No.	ENR-02008-N-LK
	Type	8CH EMBEDDED NETWORK VIDEO RECORDER

Dimension Unit : mm



## ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-02008-N-LK	8Ch Embedded Network Video Recorder with 2 HDD Bays, Supports 4K Cameras, HDMI, VGA and ONVIF	1

## PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-02008-N-LK	Carton Box	4.4	47.1x272.6x341