

# 2MP IR IP REAR VIEW VEHICLE CAMERA



**ENC-MTT5F-10R-16**


## FEATURES

2MP Resolution

3.6 mm Fixed Lens

Smart IR up to 10 m

IP67



## SPECIFICATION

MODEL	Model No.	<b>ENC-MTT5F-10R-16</b>
	Type	2MP IR IP REAR VIEW VEHICLE CAMERA
CAMERA	Image Sensor	1/2.9" CMOS
	Day / Night	Auto / Color / Black & White
	Lens	3.6 mm
	Angle Adjustment	Bracket- Pan: 0~355°, Tilt: 0~90°
	Shutter	1/25s ~ 1/100,000s, Auto / Manual
	Min.Illumination	Color: 0.01 lux @ F1.2, 0 lux with IR
	AGC	Auto / Manual
	S/N Ratio	≥52 dB
	WDR	Digital WDR
	Smart IR	Up to 10 m
VIDEO	Max. Resolution	1920x1080
	Video Compression	H.264, H.265
	Frame Rate	Main stream: (1920x1080) @ 25/30fps Sub Stream: (720x576) @ 25/30fps
	Video Bit Rate	128 kbps ~ 8 Mbps
	Synchronization system	Inter-sync
INTERFACE	Protocol	TCP/IP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPOE, NTP, NFS, UPnP, IGMP, SMTp, 802.1x, QoS, ARP, SNMP, SSL, SFTP
	Compatibility	ONVIF
	M12 Connector	Supported
	BNC	N/A

# 2MP IR IP REAR VIEW VEHICLE CAMERA



## ENC-MTT5F-10R-16

MODEL	Model No.	ENC-MTT5F-10R-16
	Type	2MP IR IP REAR VIEW VEHICLE CAMERA
GENERAL	Power	12V DC
	Power consumption	3.0 W
	Working Temperature	-25 °C ~ 70 °C
	Working Humidity	<90% (non-condensing)
	Ingress protection	IP67
	Dimensions	80x70x77 mm
	Weight	0.325 kg

### ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENC-MTT5F-10R-16	2MP IR IP Rear View Vehicle Camera with 10m IR Support, Power from MNVR – M12 Connector	1

### PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENC-MTT5F-10R-16	Carton Box	-	-