

8MP MOTORIZED BULLET CAMERA



ENC-HBUAM-00R-96

FEATURES

Starlight Illumination

10-47 mm Motorized Lens

Light LED up to 45 m

ONVIF Profile (S, T)

Triple Stream

Audio and Alarm Support

PoE, IP67



SPECIFICATION

MODEL	Model No.	ENC-HBUAM-00R-96
	Type	8MP MOTORIZED BULLET CAMERA
CAMERA	Image Sensor	1/1.8" CMOS Progressive 8.0 MegaPixel
	Day / Night	N/A
	Lens Type	Motorized
	Focal Length	10-47 mm
	Iris	DC Auto Iris
	Lens Mount	Integrated
	Angle of View (H)	41° ~ 9.1°
	Angle of View (V)	23.4° ~ 5.2°
	Angle Adjustment	N/A
	Aperture Range	F1.35 ~ F1.55
	Shutter	1s to 1/100,000s
	Min. Illumination	Color: 0.01 lux @ F1.35
	AGC	Auto / Manual
	Digital Noise Reduction	3D DNR
	S/N Ratio	55 dB
	Defog	Smart Defog
	WDR	120 dB
Smart IR	N/A	
Wavelength	850 nm	
White LEDs	6	

None

★Product specification and availability are subject to change without notice.

8MP MOTORIZED BULLET CAMERA



ENC-HBUAM-00R-96

MODEL	Model No.	ENC-HBUAM-00R-96
	Type	8MP MOTORIZED BULLET CAMERA
VIDEO	Max. Resolution	3840x2160
	Video Compression	H.265+, H.265, H.264, MJPEG
	Frame Rate	Main Stream: (3840x2160, 3072x1728, 2560x1440, 2304x1296, 1920x1080, 1280x720) @ 30fps, (3840x2160, 3072x1728, 2560x1440, 2304x1296, 1920x1080, 1280x720) @ 25fps Sub Stream: (704x240, 704x480, 352x240, 640x360) @ 30fps, (704x288, 704x576, 352x288, 640x360) @ 25fps Third Stream: (1920x1080, 1280x720, 640x480) @ 30fps, (1920x1080, 1280x720, 640x480) @ 25fps
	Stream Settings	i-Frame, PAL/NTSC, Frame Rate, EIS, SVC
	Video Bit Rate	32 kbps ~ 16 Mbps
	Bitrate Type	CBR, VBR
	Image Settings	Brightness, Contrast, Saturation, Hue, Sharpness, Rotation/Mirror, Gain, Exposure, Day/Night
	White Balance	Auto, Semi Auto, Sunshine, Daylight, Warm Light, Filament, Nature Light, Lock WB, Manual
	Corridor Mode	Supported
	HLC	Supported
	BLC	Supported
	OSD	Total 5 regions
	OSD Type	Title, Week, Date, Time, Text with different colors and adaptable sizes (16x16, 24x24, 32x32, 48x48, 64x64, 96x96), Image overlay
	ROI	Support
Privacy Mask	Supported	
Heatmap	Supported	
AUDIO	Audio Compression	G.711A, G.711U, ADPCM_D, AAC_LC
	Audio Bit Rate	8 kbps ~ 48 kbps
	Audio I/O	1/1
	Audio Voltage	Audio cable; Input: Impedance 35 kΩ, Amplitude 2 V [p-p]
	Built-in Mic	N/A
INTERFACE	Alarm Management	Motion Detection, Tampering (Masking), Input & Output Event, IP & MAC Address Conflict, Disk Alarm (Full & RW Error), FTP Server Exception, Abnormal Voltage, Pre/Post Alarm Recording, Alarm Recording/Snapshot
	Protocols	TCP/IP, IPv4, IPv6, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTSP, PPPoE, NTP, UPnP, SMTP (SSL/TLS), QoS (DSCP), Unicast, Multicast, Telnet, P2P
	Security	AES Video Encryption, IP Filter, User Authentication (Multiple Privilege Level)
	Compatibility	ONVIF Profile (S, T), SDK/API/CGI
	Network	1 x RJ45 10M/100M/1000M Self Adaptive Ethernet Port
	Wi-Fi	N/A
	Alarm Interface	1/1
	Alarm Voltage	Output: Impedance 600 Ω; Amplitude 2 V [p-p]
	RS485	N/A
	RS232	N/A
	USB	N/A
	Edge Storage	Built-in MicroSD card slot, up to 128 GB
	ANR	Supported
	Built-in Speaker	N/A
	Built-in Heater	N/A
	Cable Interface	Pig Tail
	Remote Connection	≤7
Web Client	EyeConnect	
Web Language	16	

None

★Product specification and availability are subject to change without notice.


8MP MOTORIZED BULLET CAMERA



ENC-HBUAM-00R-96

MODEL	Model No.	ENC-HBUAM-00R-96
	Type	8MP MOTORIZED BULLET CAMERA
GENERAL	Power Supply	24V AC
	Max. Power Consumption	17 W
	Working Temperature	-30 °C ~ 65 °C
	Working Humidity	0-95% RH (non-condensing)
	Ingress Protection	IP67
	Vandal Resistant	IK10 (Housing)
	Surge Protection	Supported
	Reset Button	Supported
	Dimensions	372.9×167.6×175.5 mm
	Net Weight	3 kg

Dimension Unit : mm



ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENC-HBUAM-00R-96	8MP Starlight IR IP H.265 Bullet Camera with 10-47mm Motorized Lens, WDR, SD Card Slot, Smart Analytics, Face Capture and 45m White Light Support	1

PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENC-HBUAM-00R-96	Carton Box	6	460×335×240

None

★Product specification and availability are subject to change without notice.