

## Delegate Microphone - Digital Conference System



### DESCRIPTION

The NVS-DC900032CM is a delegate unit microphone designed for the Digital Conference System Controller by Norden Communication. It is typically used in conjunction with its counterpart, the chairman unit NVS-DC900021CM. These microphones are ideal for conference room applications.

### FEATURES

- Wired conference Microphone: 8 pin conference cable & CAT5 cable connectivity
- Complete digital-control design
- Condenser type microphone with a replaceable windproof cover
- Cross type line connection Method
- With a speech switch key with indicator on base unit
- Red ring indicator displaying the speech status

Specifications	
Model	NVS-DC900032CM
Microphone type	Condenser Microphone
Microphone neck	Elongated type
Indication	Speech Status
Connection Line	RJ45 and 8 Pin connection
Frequency Response	20Hz - 16kHz
Sensitivity	0dB (1V/Pa)
Impedance	1 - 1.9KΩ
Power Consumption	5W
Working Voltage	1.0V - 10V
Weight	0.6Kg
Gooseneck Length	420mm
Base Dimension	150×130×60mm

NVS-DC900032CM



# Delegate Microphone - Digital Conference System

## FRONT PANEL



## REAR PANEL



# Delegate Microphone - Digital Conference System

## DIMENSION

## ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-DC900032CM	Delegate Microphone - Digital Conference System	01

## ACCESSORIES INFORMATION

Description	Standard Quantity
2m Conference MIC Cable 8-pin	1
User Manual	1