

FLOOR STANDING CABINET




The Easycab range of floor-standing cabinets is designed for communication rooms, data centers, and domestic applications. Smart design and professional engineering provide easy installation and maintenance. Comply with EN 61587-1:2012, EN 60950-1:2006, DIN 41494

FEATURES

- Intelligent design ensures easy installation
- Cable entry through bottom panel and fan mounting at top panel
- Front door: Glass door /perforated metal door with single-point/ three-point locking system
- Rear door: Metal/perforated/vented/dual doors with single point / three-point locking system
- Removable side panel provides easy maintenance
- 19" installation
- Adjustable castor wheels & levelers

Material	CRCA Steel
Deg. of Protection	IP20
Surface finish	Powder coating
Type	Floor mount
Frame Type / Construction	5 fold pillars welded frame
Standard	DIN 41494 complied to 19" standards
Front Door	157-degree opening type lockable single perforation door
Side Panels	Detachable - slam latch or CAM lock
Rear Door	Single perforation door
Cable Access	Top & bottom cable entry
Load Carrying Capacity	Max 900 Kgs
Color	Black



STRUCTURE

1. Rack Frame
2. Caster Wheels
3. Levelers
4. Base Plinth
5. A - HD Cable Manager
B - 19" RD Channel
6. A - Front Perforated Door
B - Front Glass Door
7. A - Rear Dual Perforated Door
B - Rear Metal Door
8. A - Side Panel
B - Split Side Panel

FLOOR STANDING CABINET

DEFAULT ACCESSORIES

Accessories	Material of Construction	Surface coating & colour	Quantity
Top Cover	1.2 mm CRCA Steel	Powder Coating	1 Nos
Single Point or 3 Point Lock with 2 Keys		Black	1 Nos
Mounting Angle/Depth Member 4 Pcs for Lower 32U	1.5 mm CRCA Steel	Powder Coating	6 Nos
Front door, rounded vented border	1.2 mm CRCA Steel	Powder Coating	1 Nos
Casters (Set of 4)			1 Nos
19" L Angle/Mounting Profile	2.0 mm CRCA steel	Powder Coating	4 Nos
Slam Latch or CAM Lock		Nickel Plating	2 Nos (For 2 Side Panels)
Frame	1.2mm CRCA Steel	Powder Coating	2 Nos
19" Reduced Channel (Pack of 4)			Only available with 800mm width Cabinets
M6 Square nut, (Pack of 20)	Steel	Zinc Colour	1 Sets
M6 B Head Screw, (Pack of 20)	Steel	Zinc Colour	1 Sets
Side Panel	1.0mm/1.2mm CRCA steel	Powder Coating	2 Nos
Square hole rear door, square vent	1.0mm/1.2 mm CRCA Steel	Powder Coating	1 Nos
Bottom Panel	1.2mm CRCA Steel	Powder Coating	1 Nos
Allen Wrench	Steel	Black Colour	1 Nos
M12 Adjustable Feet			4 Nos

ORDERING GUIDE

Cabinet & Types		Cabinet Height	Cabinet Width	Cabinet Depth	Front & Rear Door Types		Colour (X)
Cabinet	Type				Front Door	Rear Door	
13B	3: Smart 19"	"UU"	K:550mm 6:600mm 7:700mm 8:800mm 1:1000mm B:1200mm	5: 550mm 6: 600mm 7:700mm R:750mm 8: 800mm 9: 900mm 1: 1000mm Z: 1070mm H: 1100mm B: 1200mm	1: Glass 2: Metal 3: Perfor 4: Divide Perfor 5: Divide Metal	1: Glass 2: Metal 3: Perfor 4: Divide Perfor 5: Divide Metal	

FLOOR STANDING CABINET

Part No & Description Example:

13B3 — 32 — 8 — 1 — 4 — 3 — X

Description : 32U 800 x 1000 Front Dual Perforated Door & Rear Perforated Metal Door Floor Standing Cabinet

13B3 — 42 — 8 — 1 — 3 — 3 — X

Description : 42U 800W x1000D Front Perforated / Back Perforated Floor Standing Cabinet

OPTIONAL ACCESSORIES

Part Number	Description
1515-4201X	1U ABS Plastic Horizontal Cable Manager with Cap
1515-5101X	1U Base Metal/Loop Metal Horizontal Cable Manager
1515-6101X	1U Base Metal/Loop Plastic Horizontal Cable manager
1515-9201X	1U Base Metal/ABS Plastic Cover Horizontal Cable Manager
151C-A01X	1U Cantilever Tray
151K-R01X	1U Keyboard Tray Sliding & Rotary
151S-F01X	1U Sliding Shelf
151F-L01X	1U Fixed Shelf
1515-71XXU	Vertical Cable manager Loop Type "XXU" Height
1515-82XXU	Vertical Cable manager with Cover "XXU" Height

****For Vertical Cable manager "XXU" represents Cabinet U Size****

Eg:1515-7142U: Vertical Cable Manager Loop Type "42U" Height