


Loud, Clear & Untangled
**WIRELESS PORTABLE
AUDIO SYSTEM**



For
Assemblies, Classrooms, Cafeterias , Auditoriums & Trainings...

WIRELESS PORTABLE AUDIO SYSTEM

Norden introduces a portable wireless PA system, a bundle of integrated wireless audio transmitters and 8W Active speakers. The portable system comes with an inbuilt gooseneck microphone and an external wireless microphone input option. It also has Audio, Bluetooth, USB & Micro SD card. The user can record the program on USB Drive (8GB USB Drive can record 160 hours in high-quality audio). The amplifier and wireless transmitter are embedded in the base, saving a lot of space and are enough to be placed on a podium. The wireless transmission technology makes the system simple and portable.



APPLICATIONS

- Class rooms and auditoriums.
- Board rooms and banquet halls.
- Houses of worship.
- Public gatherings and Conferences.
- Medical Camps and Isolation Wards.

USER BENEFITS

- User-friendly controls and Wireless communication protocol allow for quick and easy set up of a complete, portable public address system — anytime, anywhere.
- Delivers clear sound with low distortion, ensuring the audience hears every word of your presentation
- External drive /Live recording facility
- USB/External player plug and play Facility
- Bluetooth Enabled
- Background music play
- Options to connect wireless Micro phone
- Scalable up to 10 Speakers
- Hands free /Wire free operations

(ADD-ON) - WIRELESS MICROPHONE SET

- Wireless Microphone set adapts infrared technology and has 2 channels.
- The microphone set comes with adjustable frequency and emit power.
- There are 2 output interfaces for remote monitoring.
- The LCD screen displays 8 step RF level and an 8-step audio level.
- Maximum working distance for the wireless microphone set is 100M.



FEATURES

- Adapt infrared matching technology, 2 channels PLL technology
- Adapt UHF 600-800MHz, frequency adjustable, emit power adjustable
- 200 groups of UHF channel optional, adapt diversity receiving technology
- 2 balanced outputs (XLR) & 2 unbalanced (6.3mm) outputs
- With 2 output interfaces for remote monitoring
- LCD screen displaying 8 step RF level and 8 step audio level
- Max working distance up to 100m





EUROPE

Norden Communication UK Ltd.
Unit 13 Baker Close, Oakwood Business park,
Clacton-On-Sea, Essex CO4 15 BD,
United Kingdom

Tel : 474063 1255 (0) 44+
E-mail : salesuk@norden.co.uk

USA

Norden Communication USA Inc,
2832 E. Lantana Dr Chandler, AZ 85286,
United States of America.
Mob: +1(480)221-0959
E-mail: sales.usa@nordencommunication.com

ASIA-PACIFIC

Norden Singapore PTE Ltd.
7 Temasek Boulevard,
07-12# Suntec Tower One,
Singapore 038987

Tel : 8449 6589 65+
Fax : 8977 6917 65+
E-mail : sales@norden.com.sg

Norden Communication Pvt. Ltd.
Level 1, Tower D, RMZ In-nity
Municipal No. 3, Old Madras Road
Bangalore 560016-, India

Tel : 67431217 8091
E-mail : sales@norden.in

MIDDLE EAST & AFRICA

Norden Communication Middle East FZE
P.O. Box. 341072
Dubai Silicon Oasis
Dubai, UAE

Tel : 3926391 4 971+
Fax : 3926395 4 971+
E-mail : sales@nordencommunication.ae

HEAD QUARTERS

Norden Communication UK Ltd.
Unit 13 Baker Close, Oakwood Business park,
Clacton-On-Sea, Essex CO4 15 BD,
United Kingdom

Tel : 474063 1255 (0) 44+
E-mail : salesuk@norden.co.uk

www.nordencommunication.com



www.nordencommunication.com/nvs

