


64CH EMBEDDED NETWORK VIDEO RECORDER



ENR-08064-N-URK

FEATURES

- 64 Channel input
- Support H.265+, H.265, H.264 video formats
- 8 SATA HDDs Bays
- HDMI and VGA simultaneous output
- Support RAID (0/1/5/6/10)
- eSATA Interface
- ONVIF Profile (S, G, T)
- N+M Hot Standby



SPECIFICATION

MODEL	Model No.	ENR-08064-N-URK	
	Type	64CH EMBEDDED NETWORK VIDEO RECORDER	
VIDEO & AUDIO	Video Input	64-Ch (Upgradable to 80 Channels)	
	Incoming Bandwidth	320 Mbps	
	Outgoing Bandwidth	320 Mbps	
	HDMI/VGA Output *	HDMI 1: 3840×2160, 2560×1600, 2560×1440, 1920×1080, 1440×900, 1366×768, 1280×800, 1280×720, 1024×768, 800×600 HDMI 2/ VGA 2-ch: 1920×1080, 1440×900, 1366×768, 1280×800, 1280×720, 1024×768, 800×600	
	Audio Input / Output	1-ch Input (3.5mm)/ 2-ch Output (3.5mm & BNC)	
	Two way Audio	Supported	
	Screen Split	1/2/3/4/5/6/7/8/9/10/12/13/16/20A/20B/25/32/36/40/64/80	
	Video Encryption	Supported	
	OSD Type	Title, Week, Date, Time, Text with different colors and adaptable sizes	
		Video Compression	H.265+, H.265, H.264
DECODING		Video Bit Rate	32kbps ~ 16Mbps (per channel), CBR, VBR
		Audio Compression	G.711A/G.711U
		Audio Bit Rate	8 ~ 48 kbps
		Recording Resolution	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
		Recording Mode	Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, ANR, Record interval by time/size
		Pre / Post Record Time	Pre (5~60 sec); Post (10~600 sec)
		Fisheye Camera	Supported
		De-warping	Supported

★Product specification and availability are subject to change without notice.

64CH EMBEDDED NETWORK VIDEO RECORDER



ENR-08064-N-URK

MODEL	Model No.	ENR-08064-N-URK
	Type	64CH EMBEDDED NETWORK VIDEO RECORDER
MONITORING	Preview Capability	2x12MP/4x8MP/4x6MP/5x5MP/8x4MP/9x3MP/16x1080P/32x720P/64x4CIF
	Synchronous Playback	2x12MP/4x8MP/4x6MP/5x5MP/8x4MP/9x3MP/16x1080P/16x720P
	Live View Functions	Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom
	Playback Functions	Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Clip management, Screen matrix, Stream type
	Corridor Mode	Supported
	Backup Mode	USB, Network, e-SATA, SATA burner
	Export Picture Format	JPG, BMP
	Export Video Format	MP4, SDV, AVI
	Download from Edge storage	MP4, SDV, AVI
INTERFACE	Protocols	TCP/IP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, QoS, FTP, SMTP, IGMP, ARP, SNMP, SSL, SSH, Telnet, NAS(NFS, SMB/CIFS), P2P
	Compatibility	ONVIF Profile (S, G, T), SDK
	Network	2xRJ45 (10/100/1000 Mbps) Self Adaptive Ethernet Port
	Serial Interface	2xRS485, 1xRS232
	USB Interface	1xUSB 3.0, 2xUSB 2.0
	Alarm Interface	16 Input & 4 Output
SMART	Behavior Detection	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	Smart Analytics	Loitering, Running, Abandoned object (Object Left), Missing object (Object Lost), Parking, Heatmap, Face Detection (Capture), People Counting, Crowd Detection, On Duty Detection, Abnormal Video & Audio Detection, Auto Tracking, Early Warning, Safety Helmet Detection **Compatible with analytic supported cameras
	Alarm Management	Input & Output event, Alarm I/O error, Illegal access, IP Conflict, MAC Conflict, Network Interrupt, Hard disk full, No hard disk, Hard disk R/W error, Hard disk overload, HDD SMART check error, Abnormal recording, Abnormal temperature, Hot spare error & Array error, Motion detection, Tampering (Masking), Smart detection, Video loss
STORAGE	SATA	8 SATA Interfaces
	Capacity	Up to 10TB for each HDD
	Array Type	JBOD, RAID 0/1/5/6/10, Hot Spare
	eSATA	Supported
	ANR	Supported
GENERAL	Main Processor	Quad Core Embedded Processor
	Operating System	Embedded Linux
	User Permission	32 with multiple privilege level
	Client Application	Eye Connect
	Web Language	14
	Power	AC100 ~ 240V, 50 / 60HZ
	Redundant Power	N/A
	Power Consumption (without HDD)	≤100W
	Working Environment	-10°C ~ 55°C
	Humidity	10% ~ 90%RH
	Chassis	2U
	Dimension(mm)	94x440x460 mm
Net Weight	7.2 Kg	

★Product specification and availability are subject to change without notice.


64CH EMBEDDED NETWORK VIDEO RECORDER



ENR-08064-N-URK

MODEL	Model No.	ENR-08064-N-URK
	Type	64CH EMBEDDED NETWORK VIDEO RECORDER

Dimension Unit : mm



ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-08064-N-URK	64Ch Embedded Network Video Recorder with 8 HDD Bays Supports 4K Cameras, HDMI, VGA, RAID, Smart Analytics and ONVIF	1

PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-08064-N-URK	Carton Box	-	-