

ENS-BWIMS

FEATURES

Real time data management of 4G body worn camera
Historical data management of body worn camera
Manages department, user authorization, device
Statistics analysis of the usage time of video, audio and image

EYENOR

SPECIFICATION

FUNCTION LIST				
	Login	Login with a user name and password.		
Authentication	Login Verification	When logging in, you are required to enter a verification code after three consecutive mismatches between your account and password.		
		To display graphics of video and audio recording, tagging, marking, recording time ranking, etc.		
Home page	Statistical information	To display the main data of the system, including login information, video recording time, number of files and other statistics.		
		Support to view the imported video duration, audio duration and number of pictures in this week / this month / this year.		
		Support to view the average duration of video shooting per person in this week / this month / this year.		
		Support to view the number and proportion of key marked video files of body worn cameras in this week / this month / this year.		
		Support to view the number and proportion of tagged files in this week / month / year.		
	Download Center	Support to check the TOP10 users who record most videos.		
Personal center	Login	Log in by user name and password. After the account and password do not match for three times in a row, the verification code is required. Show the date, time and IP of current and last login.		
	Authentication	Support users to modify the login password, enter the original password, new password, confirm the password		
	QR code (Optional feature)	Supports the display of my QR code, including platform communication information and personnel binding information. The body camera can realize the function of binding body camera and personnel information by scanning the QR code.		
Real Time data Management (ENS-BWVMS module)	QR code (Optional feature)	Display the department organization structure tree, and display the number of online nodes and total number of department nodes. The whole equipment tree can be folded and displayed. Can enter user name / alias or device name to search according to the device or department selection. Fuzzy search is supported. Can click the device on the map to display the corresponding information of the device, such as personnel, device number, power, etc. The video call function can be actively carried out with the device to control the video volume, capture the video picture, play the video in full screen and hang up during the video call with the device. Active voice call with the device, voice call with the device, hang up. Select whether to view only the online devices and filter and hide the offline devices. The map supports scrolling, clicking + or - to zoom the map, largest to country and smallest to street.		
	Video surveillance	According to the equipment or department selection, enter the name or alarm number, name, national standard number to search. Fuzzy search is supported. For example, to input incomplete alarm number, name and national standard number. Those found will be displayed in blue in the organization tree. The video calling function can be actively carried out with the device to control the video volume, intercept the video pictures, play the video and hang up during the video calling with the device. It supports multi screen full screen display and single screen full screen display. Select whether to view only the online devices and filter and hide the devices that are not online. Select whether to view only the selected equipment and filter and hide the unchecked equipment. The video monitoring and playing area is divided into screens. It should include 1, 4, 6, 9, user-defined split screen selection. The user-defined display can be up to 16 screens. Click the upper right corner to close the current monitoring window, or quickly close all monitoring windows.		
	Video replay	The historical video information within the management scope can be inquired according to the police information and time information. Can play, pause, stop, fast forward, rewind, single frame play, double speed play, full screen for the selected video file. Supports normal video play operations such as volume adjustment, mute, etc., and has time display during recording. Support to synchronously view the track corresponding to video playback. Supports the annotation of the currently playing video. The annotation information includes: shooting location, shooting time and specific description.		
	Track query	The historical track information within the management scope can be queried according to the police information and time information. Can view a single track, broadcast, pause, play fast, play slow, play twice fast, play twice slow, and display the start and end points of the track, as well as the current playback position and time point on the man		

EYENOR[®]

ENS-BWIMS

SPECIFICATION

FUNCTION LIST			
	Alarm query	Can select and query according to one or more conditions of department, personnel, alarm type (business alarm, status alarm, equipment alarm), alarm source, time range, etc., and the query results will be displayed in the list. For the SOS alarm in the service alarm, able to view the details of SOS alarm, play the SOS alarm video, and fill in the processing opinions for the SOS alarm.	
Real Time data	Alarm subscription	According to the selected alarm source and device, receive the alarm message of the subscription device in real time.	
(ENS-BWVMS module)	Alarm control	After logining in the system, supports the display of real-time alarm information in the form of alarm pop-up window. The alarm source includes pressing "SOS alarm" on 4G body worn camera, the online and offline information of equipment, and the insufficient power alarm. It supports one key response to alarm, can quickly display the online equipment near the alarm equipment, and can carry out voice intercom and video call for the online alarm equipment and its nearby online equipment.	
	Query retrieval	To search and manage all video and audio files stored in the docking station and storage server in a unified way. Within the permission of the system user, to view the media recording of all the department personnel or designated personnel in a period of time, including the total number of videos, the number of key marked videos, the number of ordinary videos, the number of audio, and the number of pictures. Support one click to view the recording details of one user.	
		All media data can be queried according to the single or combined retrieval conditions such as the Department, time type (shooting time, import time), time range, user name / alias, key mark, media type (video, audio, picture), etc.	
		The video and audio files support the display in the form of lists or thumbnails. The display information includes: key marking information, whether to carry annotation information, file type, photographers and their departments, shooting time, recording time, import time and file status.	
		Support to play video and audio files, including videos, audio and pictures.	
Digital Evidence	Data viewing	To provide pages and links for downloading necessary plug-ins.	
Digital Evidence Management (ENS-BWEMS)		When viewing video and audio, support to pause / continue playing, fast forward / backward playing, full screen playing, volume adjustment, playback frame by frame, screenshot and other operations, and to download and save to local.	
		To view media information, such as shooting personnel, time of video shooting, time of video import, storage location, and days of storage. Media files support to be exported to the local. Support to edit video files after export.	
		Support to view the remaining storage time of a single file.	
		Support to modify the storage period of a single file.	
	Tag information	Support to add tag information for video and audio files to describe. Tag information includes the functions of adding, modifying, deleting, etc.	
	Statistical analysis	Recording statistics: includes outputting the basic data statistics table of recordings of body worn carr according to the conditions of Department and time range, including the number of Departments, personnel, number of body worn camera, the number of videos, and the total size of videos (GB). Asset statistics: includes the output of asset data statistics table of body worn camera and docking st according to the conditions of the Department, including the total number of body worn cameras ar	
		docking stations, the total capacity and average storage capacity of docking stations.	
	Organizational structure management	editing, deleting users, batch importing users, exporting users, exporting templates.	
		Support user query by user name, user type and role.	
		Support the configuration of the user's data access permission and to limit user's access to the data of some departments.	
	Role management	Support the creation of roles and their permissions, and assign roles to users.	
Operation management	Body worn camera	Support the addition, modification and deletion of body worn camera.	
(Management module)	management	Support the distribution of body worn camera to relevant personnel.	
	Docking station management	Supports the addition, modification and deletion of docking station, and supports the query of the device information of the docking station according to Department, device name, communication number, device IP, manufacturer, model, superior storage, online status, maintenance personnel and version information.	
		Support remote configuration of the file storage period of the docking station.	

ENS-BWIMS

SPECIFICATION

FUNCTION LIST				
Operation management (Management module)	Storage service management	Support the 4G live streaming management of adding, viewing, modifying and deleting the files upload service, the setting of service start time, the viewing of storage service related information, such as IP, online status, total capacity, remaining capacity, etc., the configuration of storage service policy (storage period), and the function of setting storage period for ordinary files and important files respectively.		
		Support the historical media file management of adding, viewing, modifying and deleting the files upload service, the setting of service start time, the viewing of storage service related information, such as IP, online status, total capacity, remaining capacity, etc., the configuration of storage service policy (storage period), and the function of setting storage period for ordinary files and important files respectively.		
		Support to configure specified file of the docking station to be uploaded to server.		
	QR code (for optional)	Support add, modify and delete the QR code for platform communication. The content of the QR code includes the APN information of the operator, the interface of the registered server and the address of the registered server. This feature is only available to super administrator Admin.		
	Operation log	Support natural language to describe user operation, including user information, operation time, operation content, operation result and other information, and support log export.		
	License management	Support license management of the system and prevent unauthorized docking station from accessing the system.		

MAINTENANCE

Collected data Storage	Default 365 days, configurable
System log Storage	Default 180 days, cycle cover
storage capacity	Single server supports maximum 144T, support cloud storage with NFS protocol
Client browser	Support IE11, Firefox51
Client Operating System	Support Windows OS, including Windows 7/8/8.1/10 Pro/Enterprise
Expired data Unclog	 Automatically delete data when it expires Docking station logs are not stored on the management platform The management platform logs are saved for 180 days and covered in cycles
Storage strategy settings	 There are three storage strategy: centralized, distributed and hybrid. Centralized: the data of body worn cameras is stored in the storage server of the management platform, and the docking stations are mainly used for caching. Distributed: the data of body worn cameras is distributed and stored on the docking stations, and the management platform mainly stores logs and indexes. Hybrid: both centralized and distributed strategy, important files, marked and associated files are stored in the storage server of management platform, and ordinary files are stored in the docking station.
Device Status	The online status of docking station and storage server can be viewed in real time, also the storage status of storage server.
Software Upgrade	Support remote upgrade of docking stations.

EYENOR[®]

ENS-BWIMS

SECURITY

Support the unified management of user permission, and can uniformly configure the user's operation permission and file access scope on the platform and docking station

Adopt unified login verification. When the user's login password is wrong for more than three times, the user needs to enter the verification code to login. The system can generate the verification code.

Support to view the current login time, last login time, current login IP and last login IP to prevent account theft.

Support multi-level targeted setting of file storage period, can set the storage period of ordinary files and key files of the storage server, the storage period of files on the docking station, and the storage period of individual files. When the disk storage space is going to be full, the unexpired files will not be deleted automatically.

Support to control the number of access of docking stations. The docking station exceeding the setting number will be blocked to access to the system, and the capacity car be expanded through license authorization.

Support the limitation of the external devices of the docking station. The background can restrict the external USB storage devices of the docking station, and prohibit the illegal export of data to U disk and other devices.

Support user log audit. Support natural language description of user operations, including user information, operation time, operation content, operation results and other information. Support log export

ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENS-BWIMS	Eyenor Body Worn Camera & Docking station Intelligent central Evidence Management Software	1