


Digital Audio Processor 4×4



DESCRIPTION

The NVS-70130004AP is a 4×4 digital audio processor with advanced DSP processing technology and has new algorithms for auto-mixing and feedback cancellation to solve practical problems in targeted application scenarios. The appearance is made simpler and clearer, because most of the controls are operated via software.

FEATURES

- DSP audio processing
- Support for mobile phone, tablet control and distributed cloud control
- Full function matrix mixing function
- \odot Built-in automatic camera tracking function
- Support for scene presetting function.
- Automatic power failure protection memory function.
- 1U all-aluminium chassis
- Built-in automatic mixing console
- Optional feedback elimination, echo cancellation and noise cancellation module
- Inputs per channel: preamplifier, signal generator, expander, compressor, 5-band parametric equalization
- \odot Outputs per channel: 31-band graphic equalizer, delay, crossover, limiter

Specifications		
Model	NVS-70130004AP	
Frequency Response	20 - 20 KHz , ±0.2dB	
Total harmonic distortion + N	≦0.004% @4dBu	
USB	Support Play & Recording	
Central Control Command Cet Generator	Support	
Input Processing	Preamp, signal generator, expander, compressor, 5-band parametric equalization,	
	auto gain, AM auto mix function, AFC adaptive feedback cancellation	
Output Processing	Speaker management (31-band graphic equaliser, delay, crossover, limiter, high and low channel filters)	
Matrix Mixing	Matrix mixing of input and output signals, mixing component control	
Automatic Camera Tracking Function	Support	
Scene Presets	100 group customized settings	
Analogue Input Channels	4	
Analogue Output Channels	4	

NVS-70130004AP



Digital Audio Processor 4×4

Ethernet Control Port	1
RS232	1
RS485	1
GPI0	8
Input Gain Amplification	-24~27dB, 3dB, Level 1 with 7 levels
Balanced/Unbalanced, Input/Output	Support
Support	
MIC/LINE, Input/Output Support	Support
Independent 48V Phantom Power Switch	Support
Per Channel	
Supported Processing Algorithms	AGC, AEC, ANC, AFC
Sampling	48KHz
Phantom Power	48V
Power Supply	AC110V/220V, 50Hz/60Hz
Background Noise	-90dBu
Dimension (W x D x H)	482x258x45mm

ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-70130004AP	Digital Audio Processor 4×4	01